

bizhub сээгіі Color A4 multifunctional









CUSTOMER BENEFITS



Intuitive operability Operate the bizhub like a smartphone or tablet with fully customized user interface



Mobile connectivityPrint anytime from anywhere with Konica Minolta's innovative mobile technologies



Secure network integration, data encryption, and advanced user authentication



Application ecosystem Enhanced efficiency thanks to Konica Minolta's extensive applications portfolio



ServicesEfficient printer fleet management, including automatic con-sumables delivery, pro-active maintenance and remote setup




Sustainability

Numerous eco features reduce energy consumption and costs

OPTIONS











Keyboard holder KH-P02



PE-P28

Height adjustment unit PF-P25



Off-line stapler FS-P04

LEGEND



This option can only be installed with the respective option above it

FINISHING FUNCTIONALITIES





Duplex

Stapling (offline)

DESCRIPTION

ENHANCED FEATURES		
LK-116 Antivirus	Bitdefender® antivirus provides real time scanning of all incoming and outgoing data	
CONNECTIVITY		
FK-517 Fax board	Super G3 fax, digital fax functioality	
UK-221 Wireless LAN	Wireless LAN and wireless LAN Access Point Mode	
EK-P08 USB I/F kit	USB keyboard connection	
EK-P09 USB I/F kit	USB keyboard connection; Bluetooth	
EK-P10 NFC I/F kit	To connect with Android mobile devices	
ID card reader	Various ID card technologies	
MK-P08 Mount kit	Installation kit for ID card reader	

OTHERS			
WT-P03 Working Table	Authentication device placement		
KP-P03 10-Key pad	For use instead of touchscreen		
KH-P02 Keyboard holder	To place USB keyboard		
External Keyboard	External Keyboard		
MEDIA INPUT			
PF-P28 Paper tray	500 sheets, 8.5" x 11" or 8.5" x 14", 60-90 g/m ²		
PF-P25 Height adjustment unit	To achieve comfortable height for operation		
DK-P05 Copier desk	Provides storage space for print media and other materials		
MEDIA OUTPUT			
FS-P04 Off-line stapler	20-sheet off-line stapling		

TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS		
System speed Letter	Up to 35/35 ppm (mono/color)	
Auto Duplex speed Letter	Up to 35/35 ppm (mono/color)	
1st page out time Letter	6.0/7.2 sec. (mono/color)	
Warm-up time	Approx. 13/15 sec. (mono/color) ¹	
Imaging technology	Laser	
Toner technology	Simitri® V polymerized toner	
Panel size/resolution	7" / 800 x 480	
System memory	4 GB (standard/max)	
Sold State Drive	16 GB (standard)	
Interface	10/100/1,000-Base-T Ethernet; USB 2.0;	
	Wi-Fi 802.11 b/g/n/ac (optional)	
Network protocols	TCP/IP (IPv4 / IPv6); SMB; LPD; IPP; SNMP; HTTP(S); Bonjour	
Automatic document feeder	Up to 80 originals; $5.8" \times 8.3"$ to $8.5" \times 14"$; $50-128 \text{ g/m}^2$;	
	Dual Scan ADF	
Printable paper size	3.5" x 8.8" to 8.5" x 14"; customized paper sizes	
Printable paper weight	60-210 g/m ²	
Paper input capacity	600 sheets / 1,100 sheets (standard/max)	
Paper tray input (standard)	$1x500;3.9"x5.8"$ to $8.5"x11";customsizes;60\text{-}210g/m^2$	
Paper tray input (optional)	1x 500 sheets; 8.5" x 11" to 8.5"x14"; 60-90 g/m ²	
Manual bypass	100 sheets; 3.5" x 8.8" to 8.5" x 14"; custom sizes; 60-210 $\mbox{g/m}^2$	
Finishing modes (optional)	Group; Sort; Staple (offline)	
Automatic duplexing	8.5" x 11"; 60-210 g/m ²	
Output capacity	Up to 250 sheets	
Duty cycle (monthly)	Rec. 6,500 pages; Max. ² 96,000 pages	
Toner lifetime	Black up to 13,000 pages	
	CMY up to 9,000 pages	
Imaging unit lifetime	Black up to 200,000 pages (imaging unit)	
	CMY up to 100,000 pages (imaging unit)	
Power consumption	110-120 V / 50/60 Hz; Less than 1.45 kW	
System dimension (W x D x H)	16.5" x 20.7" x 22.5" (without options)	
System weight	Approx. 84 lb. (without options)	

Print resolution	1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi	
Page description language	PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS	
	Windows 10 (32/64); Windows 11; Windows Server 2012;	
Operating systems	Windows Server 2012 R2; Windows Server 2016;	
	Windows Server 2012 RZ, Windows Server 2016, Windows Server 2019; Windows Server 2022;	
	macOS 10.14 or later; Unix; Linux; Citrix	
Printer fonts	80 PCL Latin; 137 PostScript 3 Emulation Latin;	
rillerionts	Barcode fonts (optional); OCR A and B fonts (optional);	
Mobile printing	Unicode fonts (optional) AirPrint (iOS); Mopria (Android);	
wiobile printing	Konica Minolta Mobile Print (iOS/Android)	
	optional: WiFi Direct	
	optional. Will blicet	
SCANNER SPECIFICATIONS		
Scan speed	Up to 30/30 ipm in simplex (mono/color)	
	Up to 58/58 ipm in duplex (mono/color)	
Scan resolution	Up to 600 x 600 dpi	
Scan modes	Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home);	
	Scan-to-FTP; Scan-to-USB; Scan-to-WebDAV; TWAIN scan	
File formats	JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS;	
	Compact XPS; PPTX	
Scan destinations	2,000 destinations + 100 groups; LDAP support	
COPIER SPECIFICATIONS		
Copy resolution	600 x 600 dpi	
	256 gradations	
Gradation	230 gradations	
Gradation Multicopy	1-9,999	

FAX SPECIFICATIONS

Fax standard	Super G3 (optional)		
Fax transmission	Analog; i-Fax; Color i-Fax; IP-Fax		
Fax resolution	Up to 600 x 600 dpi		
Fax compression	MH; MR; MMR; JBIG		
Fax modem	Up to 33.6 Kbps		
Fax destinations	2,000 single + 100 groups		

SYSTEM FEATURES	
Security	IP filtering and port blocking; SSL3 and TLS1.1/1.2/1.3 network
	communication; IPsec support; IEEE 802.1x support;
	User authentication; Kerberos; Data encryption (AES 256);
	Confidential fax; Print user data encryption
	optional: Antivirus realtime scanning (Bitdefender®)
Accounting	Up to 100 user accounts; Active Directory support (user name +
	password + e-mail + smb folder); User function access definition;
	ID card authentication (ID card reader);
	Authentication by mobile device (Android/iOS)
Software	Net Care Device Manager; Data Administrator; Box Operator;
	Web Connection; Print Status Notifier; Driver Packaging Utility;
	Log Management Utility

- ¹ Warm-up time may vary depending on the operating environment and usage
- ² If the maximum volume is reached within a period of one year, then a maintenance cycle must be performed
- All specifications refer to letter-size paper of 80 g/m² guality.
- The support and availability of the listed specifications and functionalities varies depending on operating systems, applica-
- tions and network protocols as well as network and system configurations.

 The stated life expectancy of each consumable is based on specific operating conditions such as page coverage for a particular page size (5% coverage of letter). The actual life of each consumable will vary depending on use and other printing variables including page coverage, page size, media type, continuous or intermittent printing, ambient temperature
- and humidity.

 Some of the product illustrations contain optional accessories.
- Specifications and accessories are based on the information available at the time of printing and are subject to change without notice.
- Konica Minolta does not warrant that any specifications mentioned will be error-free.
 All brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

PARTNERSHIP.

Konica Minolta can help give shape to your ideas and partner with you to achieve your corporate objectives. Contact us to realize opportunities in:

INFORMATION MANAGEMENT	IT SERVICES	TECHNOLOGY
Enterprise Content Management (ECM)	Application Services	Office Multifunction Business Solutions
Document Management	Cloud Services	Commercial and Production Printers
Automated Workflow Solutions	IT Security	Industrial Printers
Business Process Automation	Managed IT Services	Wide Format Printers
Security and Compliance	IT Consulting & Projects	3D Printers
Mobility	Apple Managed Services	Scanners
eDiscovery Services	Managed Voice Services	Security Surveillance Systems
	Technology Implementation	Laptops, Desktops and Computer Hardware
	and Deployment	Servers and Networking Equipment
		Managed Print Services (MPS)
		Managed Enterprise Services

For complete information on Konica Minolta products and solutions, please visit: CountOnKonicaMinolta.com

















